# Cluster
Processing Instructions

Compressor 3

1. Open System Preferences


   a. Select "QuickCluster with services"

b. DO NOT check anything on the services yet.

Services

Share	Managed	Service	Description
☐	☐	Rendering	Shake and and other shell command processing
☐	☐	Compressor	Distributed processing for Compressor

c. Click "Options for selected service..." and select a number of instances and click OK.

Apple Qmaster (32–bit)

Number of Instances: 24

Cancel   OK

Share this computer a...
- ⦿ QuickCluster with ...
- ○ Services and cluste...
- ○ Services only

Services

Share	Managed	Service	Description
☐	☐	Rendering	Shake and and other shell command processing
☐	☐	Compressor	Distributed processing for Compressor

Options for selected service...   Selected Service Off (24 Instances)

QuickCluster

Identify this QuickCluster as: Mac Pro Cluster

☑ Include unmanaged services from other computers

Security

☐ Require password   Change Password...

Reset Services   Start Sharing

🔓 Click the lock to prevent further changes.

d. Check Compressor Share box

e. Put the name of cluster

f. Click "Start Sharing"

Compressor 4

1. Open Compressor and go to Apple Qmaster on the menu and select "Share This Computer"


2. On the setting

a. Check "Share this computer and select "as QuickCluster with services"

b. DO NOT check anything on the services yet

c. Click "Options" button for Compressor and select a number of instances and click OK.

d. Check Compressor box

e. Put the name of cluster

f. Click OK and enter the password when asked

How to select Cluster when submitting a job

1. When submitting a job select Cluster instead of This Computer (By default, This Computer is selected)

2. Open the Batch monitor to see the progress